



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/549,291

09/16/2005

Junko Iwanaga

071971-0361

8090

53080 7590 01/07/2009
MCDERMOTT WILL & EMERY LLP
600 13TH STREET, NW
WASHINGTON, DC 20005-3096

EXAMINER

LIN, JOHN

ART UNIT

PAPER NUMBER

2815

MAIL DATE

DELIVERY MODE

01/07/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/549,291	Applicant(s) IWANAGA ET AL.	
	Examiner JOHN LIN	Art Unit 2815	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 September 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-4 and 6-13 is/are pending in the application.
- 4a) Of the above claim(s) 9-11 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4, 6-8, 12 and 13 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 2, 4 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,288,431, granted to "Iwasa," in view of U.S. Patent 4,996,574, granted to "Shirasaki."

Claim 1: Iwasa discloses a semiconductor device, in Figs. 1 and 3D, comprising:

a semiconductor substrate (1);

a source region and a drain region (22), each of which contains an impurity of the same conductive type;

a semiconductor FIN (11) provided between the source region and the drain region, the semiconductor FIN having an upper surface and both side surfaces;

a gate insulating film (12) provided on the upper surface and the both side surfaces of the semiconductor FIN; and

a gate electrode (21) formed directly on the gate insulating film (column 11, line 49 – column 12, line 10).

Iwasa appears not to explicitly disclose a semiconductor substrate in which a trench is formed; source and drain regions buried in the trench, and a semiconductor FIN buried in part of the trench.

Shirasaki, however, discloses forming a semiconductor FIN and source and drain regions in a trench of a substrate is a suitable alternative to forming them on a substrate (Figs 9 and 10).

Since forming a semiconductor FIN and source and drain regions in a trench of a substrate is a suitable alternative to forming them on a substrate, it would therefore have been obvious to modify Iwasa to have formed the semiconductor FIN and the source and drain regions in a trench of the substrate. Forming the semiconductor FIN and the source and drain regions in a trench of the substrate, the gate electrode would then have a planar portion extending from the upper surface of the semiconductor FIN, over the upper portion of the trench, to portion of the semiconductor substrate in which the trench is not formed, wherein the gate electrode has in the trench, termination structures extending toward a bottom of the trench along both sides of the semiconductor FIN.

Claim 2: Iwasa discloses the semiconductor FIN is made of Si (column 12, line 35-36).

Claim 4: Shirasaki discloses the gate electrode is provided on the gate insulating film so as to extend over the semiconductor substrate; the gate insulating film is provided on part of the semiconductor substrate in which the trench is not formed as well as the both side surfaces and the upper surface of the semiconductor FIN; and part

of the gate insulating film located on the part of the semiconductor substrate in which the trench is not formed is interposed between the semiconductor substrate and the gate electrode (Fig. 10A).

Claim 12: Iwasa discloses the upper surface of the gate electrode has an even surface (Fig. 1).

Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Iwasa in view of Shirasaki as applied to claims 1, 2, 4 and 12 above, and further in view of U.S. Patent 4,868,632 granted to "Hayashi."

Claim 3: Iwasa in view of Shirasaki discloses all the limitations of claim 1. Iwasa in view of Shirasaki appear not to explicitly disclose an isolation insulating film is further provided between part of the semiconductor substrate located in a side wall portion of the trench and part of the gate electrode located over the side wall of the semiconductor FIN and an insulating film is further provided between part of the semiconductor substrate in which the trench is not formed and the gate electrode.

Hayashi, however, discloses a gate insulating film with three layers (106, 017, 108; Fig. 1; column 3, lines 15-28) to better insulated the gate from the rest of the transistor.

To better insulated the gate from the rest of the transistor therefore it would have been obvious to modify Iwasa in view of Shirasaki to have provided an isolation insulating film between part of the semiconductor substrate located in a side wall portion of the trench and part of the gate electrode located over the side wall of the

semiconductor FIN and to have provided an insulating film between part of the semiconductor substrate in which the trench is not formed and the gate electrode.

Claims 6, 8 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Iwasa in view of Shirasaki in view of U.S. Patent 6,025,628, granted to "Lee," in view of U.S. Patent 7,163,851, granted to "Abadeer."

Claim 6: Iwasa discloses a field-effect transistor (Figs. 1 and 3D) including a semiconductor substrate (1), a source region and a drain region (22) each of which contains an impurity of the same conductive type, a semiconductor FIN (11) provided between the source region and the drain region, the semiconductor FIN having an upper surface and both side surfaces, a gate insulating film (12) provided on the upper surface and the both side surfaces of the semiconductor FIN, and a gate electrode (21) formed directly on the first gate insulating film (column 11, line 49 – column 12, line 10).

Iwasa appears not to explicitly disclose a semiconductor substrate in which a trench is formed; source and drain regions buried in the trench, and a semiconductor FIN buried in part of the trench.

Shirasaki, however, discloses forming a semiconductor FIN and source and drain regions in a trench of a substrate is a suitable alternative to forming them on a substrate (Figs 9 and 10).

Since forming a semiconductor FIN and source and drain regions in a trench of a substrate is a suitable alternative to forming them on a substrate, it would therefore have been obvious to modify Iwasa to have formed the semiconductor FIN and the

source and drain regions in a trench of the substrate. Forming the semiconductor FIN and the source and drain regions in a trench of the substrate, the gate electrode would then have a planar portion extending from the upper surface of the semiconductor FIN, over the upper portion of the trench, to portion of the semiconductor substrate in which the trench is not formed, wherein the gate electrode has in the trench, termination structures extending toward a bottom of the trench along both sides of the semiconductor FIN.

extending over the semiconductor substrate from the upper surface of the semiconductor FIN toward both sides of the semiconductor FIN in the shape of a rod, and formed directly on the gate insulating film, wherein the gate electrode having in the trench, termination structures (see Fig. 10A above) extending from the upper surface of the semiconductor FIN toward a bottom of the trench along both sides of the semiconductor FIN (column 7, lines 35-67).

Lee discloses a field-effect transistor (Fig. 1B) including a gate insulating film (20) provided on a semiconductor substrate (12), a gate electrode (39) provided on the gate insulating film, and source (24) and drain (26) regions each of which contains an impurity and is provided in a region of the semiconductor substrate located on a side of and under the gate electrode (column 4, lines 7-63).

But Iwasa in view of Shirasaki and Lee appears not to explicitly disclose two field-effect transistors on the same substrate.

Abadeer, however, discloses a FinFet integrated with another FET to increase device density (column 1, line 7 – column 2, line 4).

To increase device density therefore it would have been obvious to modify Iwasa in view of Shirasaki to have provided the field-effect transistor of Lee on the same substrate to increase device density.

However Abadeer et al. teach a FinFet integrated with another FET in order increase device density (columns 1 and 2, lines 7-67 and 1-4 respectively). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have integrated the field-effect transistor of Shirasaki and the field-effect transistor of Lee et al. on the same substrate in order to increase device density.

Claim 8: Shirasaki discloses the gate electrode is provided on the gate insulating film so as to extend over the semiconductor substrate; the gate insulating film is provided on part of the semiconductor substrate in which the trench is not formed as well as the both side surfaces and the upper surface of the semiconductor FIN; and part of the gate insulating film located on the part of the semiconductor substrate in which the trench is not formed is interposed between the semiconductor substrate and the gate electrode (Fig. 10A).

Claim 13: Iwasa discloses the upper surface of the gate electrode has an even surface (Fig. 1).

Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Iwasa in view of Shirasaki in view of Lee in view of Abadeer as applied to claims 6, 8 and 13 above, and further in view of Hayashi.

Claim 7: Iwasa in view of Shirasaki in view of Lee in view of Abadeer discloses all the limitations of claim 6. Iwasa in view of Shirasaki appear not to explicitly disclose an isolation insulating film formed between part of the semiconductor substrate located in a side wall portion of the trench and part of the gate electrode provided over the side wall of the semiconductor FIN and an insulating film formed between the semiconductor substrate in which the trench is not formed and the first gate electrode.

Hayashi, however, discloses a gate insulating film with three layers (106, 017, 108; Fig. 1; column 3, lines 15-28) to better insulated the gate from the rest of the transistor.

To better insulated the gate from the rest of the transistor therefore it would have been obvious to modify Iwasa in view of Shirasaki to have formed an isolation insulating film between part of the semiconductor substrate located in a side wall portion of the trench and part of the gate electrode provided over the side wall of the semiconductor FIN and to have formed an insulating film between the semiconductor substrate in which the trench is not formed and the first gate electrode.

Response to Arguments

Applicant's arguments with respect to claims 1-4, 6-8, 12 and 13 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOHN LIN whose telephone number is (571)270-1274. The examiner can normally be reached on M-F, 8AM-5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ken Parker can be reached on 571-272-2298. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kenneth A Parker/
Supervisory Patent Examiner, Art Unit 2815

/J. L./
Examiner, Art Unit 2815